1	SYNTHETIC DRYING OILS	424	.Specified procedure to improve
2	PHENOLIC OR TOXIC OILS		separation of solids from
3	OXIDATION OF MINERAL OILS		liquid product
4	.To form asphalts, tars or	425	Including centrifugation,
-	pitches		filtering, flotation or
5	In presence of soild contact		vibration
3	material	426	.Including agglomeration,
6	Tar, pitch, or asphalt feed		comminution or size-
7	.With cracking		classification of solids
390	TAR SAND TREATMENT WITH LIQUID	427	.Including burning of feed or
391	.Inorganic (only) liquid		product
400	BY TREATMENT OF SOLID MINERAL,	428	.Including contact with
100	E.G., COAL LIQUEFACTION, ETC.		extraneous additive other than
401	.Including a test or measurement		hydrogen, e.g., solvent, etc.
402	.Using electrical, magnetic or	429	Distinct addition zones
102	wave energy	430	Contact with additive, followed
403	.Chemical modification of solids		by chemical conversion
103	before hydrogenation	431	Specified hydrogen-donor
404	.Using molten additive, e.g.,		solvent
101	heat carrier, etc.	432	With specified circulation
405	Molten catalyst		procedure in contact zone
406	Halide-containing	433	Simultaneous treatment with
407	.Specified agitation or		gaseous additive and liquid
407	circulation in gas contact		solvent
	zone	434	Additive is petroleum or
408	Gas includes hydrogen		fraction from petroleum
409	Vertical gas upflow, e.g.,		refining
107	fluidization, etc.	435	Additive is specified catalyst
410	Using solid heat carrier		or liquid solvent or
411	Using solid heat carrier		dispersant
412	.Plural hydrogenation steps	12	COLORNG TREATMENTS (INCLUDES
413	Solid catalyst in at least one		FLUORESCENCE)
113	step	13	TREATMENT OF REFINING SLUDGE
414	.With hydrogen production from	14	PRODUCTS AND COMPOSITIONS
111	water	15	.Fuels
415	.Including contact of feed with	16	Gasolines
113	liquid produced in the	17	Admixtures
	process, i.e., recycle	18	.Lubricating oils
416	With discrete hydrogenation of	19	Admixtures
110	recycle stream	20	.Waxes
417	Recycle of bottoms (resid)	21	Admixtures
418	Including contact with hydrogen	22	.Asphalts, tars, pitches and
	gas		resins
419	.Using specifically added	23	Admixtures
	catalyst during hydrogenation	24	PARAFFIN WAX; TREATMENT OR
420	Dissolved or suspended-		RECOVERY
	thermally-decomposable	25	.With ureas
	catalyst, component or	26	.With sorption agents
	precursor	27	.Chemical treatment (refining or
421	Containing Group VI transition		modification except mere
	metal	0.0	solvent extraction)
422	And Group VIII metal	28	.Separation of paraffin from oil
423	Containing Group VIII metal	0.0	(e.g., dewaxing)
	-	29	Emulsion dewaxing

30	Separation of residual oil from	61	With subsequent thermal or	
	<pre>wax (i.e., deoiling)</pre>		catalytic cracking	
31	With solvent	62	First stage is reforming	
32	Sweating	63	Reforming in all stages	
33	Solvent dewaxing	64	Catalyst in at least one	
34	With deasphalting treatment		stage	
35	With chilling by evaporation	65	Noble metal containing	
	of solvent		catalyst	
36	With nondewaxing solvent	66	Catalytic	
	extraction of oil	67	First stage is thermal or	
37	Chilling		catalytic cracking	
38	With filtering	68	With subsequent hydrocracking	
39	ASPHALTS, TARS, PITCHES AND	69	With subsequent reforming	
	RESINS; MAKING, TREATING AND	70	Catalytic reforming	
	RECOVERY	71	With subsequent polymerization	
40	.By chemical conversion of oil	72	Cracking in all stages	
41	.By distillation	73	Catalyst in at least one	
42	Tar feed	, 3	stage	
43	By contact with hot gases	74	Catalyst in multiple stages	
44	by contact with not gases .Chemical modification of	75	With cracking of total	
11	asphalt, tar, pitch or resin	75	product from first stage	
45	Solvent extraction	76	With cracking of the first	
46	CHEMICAL CONVERSION OF	70	stage bottoms	
40	HYDROCARBONS	77	_	
47		/ /	With cracking of the first stage intermediate fraction	
4 /	.With prevention of corrosion or	78	3	
40 D	erosion in system	78	.Plural parallel stages of	
48 R	.With prevention or removal of	70	chemical conversion	
	deleterious carbon	79	At least one stage is reforming	
40.0	accumulations or equipment	80	Split feed	
48 Q	Quench	81	.With contacting vapor porducts	
48 AA	Antifoulant additive		with liquid feed (i.e.,	
49	.Plural serial stages of chemical conversion		<pre>product scrubbing and feed stripping)</pre>	
50	Coking in at least one stage	82	Only selected fractions of	
51	With reforming		product or feed are contacted	
52 R	With both catalytic and	83	With subsequent fractionation	
	thermal cracking	84	With added material (to	
52 CT	Catalyst treatment to remove		scrubbing-stripping stage)	
	metal contaminants	85	.With preliminary treatment of	
53	First stage is coking		feed	
54	Second stage is cracking	86	Deasphalting	
55	Catalytic cracking	87	Solvent extraction	
56	Hydrogen donor diluent cyclic	88	Refining	
	processes	89	With hydrogen	
57	First stage is an hydrogenation	90	With acids	
	(saturation)	91	With solid absorbents	
58	First stage is hydrocracking	92	Distillation	
	(includes hydro-	93	With blending of products of	
	desulfurization under cracking		distillation with each other	
	conditions)		or with converted products	
59	Hydrocracking in all stages	94	Plural stages of distillation	
60	With subsequent reforming	95	.With subsequent treatment of	
	_		products	

96	Solvent extraction	115	Halogen containing catalyst
97	Refining	116	Metal halide
98	With acids	117	Group III metal halide
99	With solid adsorbents	118	Silica or silicate containing
100	Separation of vapors and liquid		catalyst
	products	119	With metal or metal oxide
101	With absorption with liquid	120.01	With group III metal, rare
102	With additional separation of		earth metal, or metal oxide
	liquid products from primary		(i.e., Sc, Y, Al, Ga, In, Tl,
	separation zone		metal of atomic number 57-71
103	With additional separation of		or oxide thereof)
	vapor products	120.05	With group VII metal or
104	With distillation of second		metal oxide (i.e., Mn, Tc, Re,
	stage liquid		or oxide thereof)
105	With condensation of second	120.1	With group IV metal or
	stage vapors		metal oxide (i.e., Ti, Zr, Hf,
106	.Cracking		Ge, Sn, Pb, or oxide thereof)
107	Hydrogenative	120.15	With group I metal or metal
108	Catalytic		oxide (i.e., alkali metal, Ag,
109	Silica or silicate containing		Au, Cu, or oxide thereof)
100	catalyst	120.2	With group V metal or metal
110	With metal or metal oxide		oxide (i.e., V, Nb, Ta, As,
111.01	With group III metal, rare		Sb, Bi, or oxide thereof)
111.01	earth metal, or metal oxide	120.25	With group II metal or
	(i.e., Sc, Y, Al, Ga, ln, Tl,		metal oxide (i.e., alkaline
	metal of atomic number 57-71,		earth metal, Be, Mg, Zn, Cd,
	or oxide thereof)		Hg, or oxide thereof)
111.05	With group VII metal or	120.3	With group VI metal or
	metal oxide (i.e., Mn, Tc, Re,		metal oxide (i.e., Cr, Mo, W,
	or oxide thereof)		Po, or oxide thereof)
111.1	With group IV metal or	120.35	With group VIII metal or
	metal oxide (i.e., Ti, Zr, Hf,		metal oxide (i.e., iron or
	Ge, Sn, Pb, or oxide thereof)		platinum group metal, or oxide
111.15	With group I metal or		thereof)
	metal oxide (i.e., alkali	121	Metal or metal oxide
	metal, Ag, Au, Cu, or oxide		containing catalyst
	thereof)	122	Group III metal or oxide
111.2	With group V metal or	123	With Group VI metal or oxide
	metal oxide (i.e., V, Nb, Ta,	124	With Group VIII metal or
	As, Sb, Bi, or oxide thereof)		oxide
111.25	With group II metal or	125	With nonreactive material
	metal oxide (i.e., alkaline	126	Solids
	earth metal, Be, Mg, Zn, Cd,	127	Suspension system
	Hg, or oxide thereof)	128	Vapors
111.3	With group VI metal or	129	Combustion gases
	metal oxide (i.e., Cr, Mo, W,	130	Steam
	Po, or oxide thereof)	131	Soaking
111.35	With group VIII metal or	132	With heating in tubular
	metal oxide (i.e., iron, or		confined stream
	platinum group metal, or oxide	133	.Reforming (includes
110	thereof)		dehydrogenation,
112	Metal or metal oxide catalyst		isomerization, cyclization,
113	Catalytic		aromatization, alkylation,
114	Phosphorus, boron or nitrogen	1 2 4	dealkylation reactions)
	containing catalyst	134	Catalytic

135	With Group III metal or metal	171	Uniform solids withdrawal
	oxide containing catalyst	172	Preheating or quenching with
136	With Group VI metal or metal		solids
	oxide	173	Solids transferring
137	With Group VIII metal or	174	By pneumatic lifting
	metal oxide	175	Compact type
138	Noble metal or oxide thereof	176	Solids moving processes
139	With halogen containing	177	REFINING
	additive	178	.With reagent feed control
140	With recovery or	179	.Purifying used oil
	reactivation of catalyst	180	With added organic material
141	Feed of specific composition	181	Plural treating agents
142	.Hydrogenation (saturation)		(sequential or simultaneous)
143	Catalytic	182	One is a solid contact
144	Feed of specific composition		material
145	With added source of hydrogen	183	With acid or alkali
	(includes hydrogen donor)	184	Distillation or degassing
146	.Solids contacting and mixing	185	With gaseous treating agent
147	Separate contiguous, dissimilar	186	With solid-liquid separation
	function, contacting zones	187	.Water removal (dehydration)
148	Combined gravitating bed and	188	With treating agent
	suspension zones	189	.Sweetening
149	Solids of dissimilar	190	With hypochlorites
	composition	191	With copper compounds
150	Purging	192	With preliminary treatment of
151	Plural stages	172	oil
152	Solids replenishment, or	193	With subsequent treatment of
	selective discard	100	the sweet oil
153	Suspension system	194	Separation or recovery of
154	Start-up and shut down	174	copper compound
	procedures	195	Copper chloride and free
155	Plural zones of similar	175	oxygen containing gas
200	function	196	With peroxides
156	Solids and contacting fluids	197	With lead compounds
200	are both in series	198	Lead sulfide
157	Liquid feed	198	
158	With augmented turbulence (in		Sodium plumbite
130	addition to normal mixing in	200	With preliminary treatment of
	bed)	201	the oil
159	With temperature regulation	201	With subsequent treatment of
160	By solids circulation to	202	the sweet oil
100	external heat exchange and	202	Organic treating agent
	return to same zone	203	With alkali metal hydroxide or
161	Separation of entrained fines		carbonate
101	from effluents	204	With added oxygen containing
162	In presence of a liquid		organic compound
163	Fluidized dense bed	205	Acyclic alcohol
164		206	With added nitrogen containing
	Solids transferring		compound
165 166	Gravitating compact beds	207	Nitrogen containing compound
166	Liquid feeding	208 R	.Sulfur removal (free or combined
167	Solids curtain type		sulfur)
168	Solids-vapor disengagement	209	With hydrogen
169	Plural zones of similar	210	Plural stage treatments with
1.00	function (same chamber)		hydrogen
170	Size stratification prevention		

211	With preliminary treatment of	245	With silicon or compound
	feed		thereof
212	With subsequent treatment of	246	With Group IB metal or compound
	product	247	With Group IIB metal or
213	With solid catalyst or		compound
	absorbent	248	With Group III metal or
214	With hydrogen yielding		compound
015	material (H donor)	249	With Group IV, V, VII metal or
215	With heavy metal sulfide	0.5.0	compound
216 R	With group VI metal or	250	Solids contacting and mixing
216 PP	compound	208 M 251 R	Using free alkali metal .Metal contaminant removal
210 PP	With specific porosity or pore volume	251 K 252	With acid
217	With Group VIII metal or	253	With metal or metal compound
217	compound	251 H	Employing hydrogen
218	Split treatment	254 R	.Nitrogen contaminant removal
219	With acids	254 H	Employing hydrogen
220	Plural stages of sulfur	255	.Gum or gum former removal
	removal	256	With acid
221	With preliminary treatment of	257	With metal or metal compound
	feed	258	Alkali metal
222	With subsequent treatment of	259	Alkali or alkali earth metal
	product		compound (except clays)
223	Inorganic acid	260	Clay type or alumina
224	Sulfuric acid	261	Vapor phase treatment
225	Hydrochloric acid	262.1	.Halogen contaminant removal
226	With alkali or alkali earth	262.5	Polychorinated biphenyl (PCB)
0.017	metal compound (except clays)	263	.Organic acid or phenol
227	Plural stages of sulfur		contaminant removal
228	removal	264	.With hydrogen
220	With preliminary treatment of feed	265	.With acids
229	With subsequent treatment of	266 267	Sulfuric acid
	product	207	With fluid rotation or agitation
230	Alkali metal compound	268	White oil making
231	With added oxygen containing	269	Split treatment
	organic compound	270	Plural stages of acid
232	Alcohol containing	2,0	treatment
233	With other organic compound	271	With preliminary treatment of
234	With regeneration of		the oil
	treating agent	272	Fractionation
235	With regeneration of treating	273	With subsequent treatment of
	agent		the oil
236	With nitrogen containing	274	Organic treating agent
0.217	treating reagent	275	Solid absorbent
237	With organic reagent	276	With nonwater additive
238 239	Hydrocarbon containing	277	Organic compound
240	Heavy metal soap containingOxygen containing	278	Solid contact material
241	With free halogen or nonmetal	279	Phosphorus containing acid
4 7 1	halide containing reagent	280	Halogen containing acid
242	With sulfur oxides	281	Hydrochloric acid
243	With Group VI metal or compound	282	Organic acid .With alkali or alkali earth
244	With Group VIII metal or	283	.with aikail or alkall earth metal compound (except clays)
	compound		mecar compound (except crays)

284	Alkali metal compound	316	Difference is mere change in
285	With preliminary treatment of		proportions of solvents
	the oil	317	Counter current multistage
286	With subsequent treatment of		extraction
	the oil	318	With recycle of oil
287	With solid carrier	319	With pressure variation
288	With added material	320	With temperature gradient in
289	.With nitrogen containing		extraction zone or between
	compound		extraction zones
290	.With organic compound	321	With solvent rehabilitation
291	Oxygen containing	322	Organic solvent containing
292		323	With added solvent or solvent
292	antimony or bismuth containing	323	modifier
		324	
202	treating agent	325	Inorganic
293	.With sulfur containing treating		Heterocyclic
004	agent	326	Hetero-N-containing
294	.With free metal	327	Furfural and derivatives
295	.With Group IV, V, VI, VII or	328	Nonoxo carbonylic
	VIII metal compound	329	Carboxylic esters
296	.With Group IB or IIB metal	330	Nitrogen-containing solvent
	compound	331	Amino compound
297	.With Group III metal compound	332	Oxo compound containing
	(except clays)	333	Oxy compound
298	.With liquid treating agent	334	Ethers
	(includes slurries of solids)	335	Aromatic
299	.With solid catalyst or absorbent	336	Halogen containing
300	Of particular physical shape or	337	Hydrocarbon
	structure	338	Liquid sulfur dioxide
301	With preliminary treatment of	339	Liquid-liquid contacting
331	the oil	340	
302	With subsequent treatment of	340	.Recovery of mineral oil from
302	the oil	2.41	natural or converted gases
303	Plural treating stages	341	By absorption and vaporization
304	5 5	342	With fractional condensation
304	Processes including downward		prior to absorption
205	movement of particles	343	Indirect heat exchange between
305	Solids rehabilitation		lean and rich absorbent
306	Composite or plural treating	344	Plural absorption stages
	agents	345	At least one stage is under
307	Silicon or carbon containing		pressure
	treating agent	346	Absorption stage is under
308	FRACTIONATION		pressure
309	.Deasphalting	347	.Distillation
310 R	.Adsorption	348	With nonvapor compound added
310 Z	Zeolite adsorbent		prior to or during
311	.Liquid extraction with solvents		vaporization
312	With blending of separated	349	With nonvaporization treatment
	fractions with each other or	0 12	of liquid condensate or
	with feed		residue
313	Extractive distillation	350	Rectification
314	Plural stages with different	351	C1-C4 alkane removal
J 1 1	oil miscible solvents	352	
315	With recycle of product of		Flash vaporizaton
J L J	later extraction to earlier	353	With heat recovery by indirect
	extraction stage	2 5 4	heat exchange
	CACTACCTOIL SCAYE	354	Plural or combined with
			additional distillation

355	With product recycle between	
	distillation zones	
356	With added gas or vapor (e.g.,	
	steam)	
357	Vacuum or pressure	
358	With liquid product recycle to	
	rectification zone	
359	Spraying	
360	Filming	
361	Flash vaporization	
362	With added gas or vapor	
363	Steam	
364	Plural stages of vaporization	
365	With heat recovery by indirect	
	heat exchange	
366	Vacuum or pressure	
367	With agitation of distilland	
368	Condensatin by direct heat	
	exchange	
369	Volatile treatment other than	
	condensation	
370	MISCELLANEOUS	

CROSS-REFERENCE ART COLLECTIONS

950	PROCESSING OF "FISCHER-TROPSCH"
	CRUDE
951	SOLID FEED TREATMENT WITH A GAS
	OTHER THAN AIR, HYDROGEN OR
	STEAM
952	SOLID FEED TREATMENT UNDER
	SUPERCRITICAL CONDITIONS

FOREIGN ART COLLECTIONS

FOR CLASS-RELATED FOREIGN DOCUMENTS

DIGESTS

DIG	1	AUTOMATIC	CONTROL
DIG	2	MOLECULAR	SIEVE